Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/02/2022 Version: 1.0

SECTION 1: Identification	
I.1. Identification	
Product form	: Substance
Substance name	: Simplot Grower Solutions Monoammonium Phosphate 11-52-0
Product code	: M11403
.2. Recommended use and restriction	ons on use
Use of the substance/mixture	: Fertilizer
I.3. Supplier	
Simplot AB Retail, Inc., DBA Simplot Growe	er Solutions
P.O. Box 9296	
Boise, ID 83707	
I.4. Emergency telephone number	
Emergency number	: CHEMTREC 1-800-424-9300
SECTION 2: Hazard(s) identification	on
.1. Classification of the substance of	
HS-US classification	
Serious eye damage/eye irritation, Category	y 2B H320 Causes eye irritation
	osure, Category 3, Respiratory tract irritation H335 May cause respiratory irritation.
Full text of H statements : see section 16	
2 CHC Label elemente including n	
	precautionary statements
GHS US labelling	precautionary statements
	erecautionary statements
GHS US labelling	erecautionary statements
GHS US labelling	orecautionary statements
GHS US labelling Hazard pictograms (GHS US)	
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US)	: Warning
GHS US labelling Hazard pictograms (GHS US)	
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US)	: Warning : H320 - Causes eye irritation H335 - May cause respiratory irritation. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling.
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Warning H320 - Causes eye irritation H335 - May cause respiratory irritation. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
SHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 : Warning : H320 - Causes eye irritation H335 - May cause respiratory irritation. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 : Warning : H320 - Causes eye irritation H335 - May cause respiratory irritation. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
GHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 : warning : H320 - Causes eye irritation H335 - May cause respiratory irritation. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

SECTION 3: Composition/information on ingredients				
3.1.	Substances			
Name	: Simplot Grower Solutions Monoammonium Phosphate 11-52-0			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		Product identifier	%	GHS-US classification
Monoammonium Phosphate		(CAS-No.) 7722-76-1	100	Eye Irrit. 2B, H320 STOT SE 3, H335
Full text of hazard classes and H-statements : se	e section 16			
.2. Mixtures				
lot applicable				
SECTION 4: First-aid measures				
.1. Description of first aid measures				
First-aid measures general				ou feel unwell, seek medical or a doctor if you feel unwell.
First-aid measures after inhalation	and keep comfortab			ng. Remove person to fresh air R/doctor if you feel unwell. Call a
First-aid measures after skin contact		othing and wash all expose . Wash skin with plenty of		th mild soap and water, followed
First-aid measures after eye contact	and easy to do. Con contact lenses, if pre attention.	tinue rinsing. Rinse cautio esent and easy to do. Cont	usly with water inue rinsing. If	Remove contact lenses, if prese r for several minutes. Remove eye irritation persists: Get medic
First-aid measures after ingestion	: Rinse mouth. Do NC center or a doctor if		emergency m	edical attention. Call a poison
.2. Most important symptoms and effect	ts (acute and delayed)			
Potential adverse human health effects and symptoms	: Based on available	data, the classification crite	eria are not me	t.
Symptoms/effects after inhalation	: May cause respirato	ory irritation.		
Symptoms/effects after eye contact	: Causes eye irritatior	n. mild eye irritation.		
.3. Immediate medical attention and sp	ecial treatment, if neces	sary		
reat symptomatically.				
SECTION 5: Fire-fighting measures				
	ing media			
5.1. Suitable (and unsuitable) extinguish	ing moulu			
Suitable extinguishing media		Carbon dioxide. Water spr	ay. Sand.	
· · · · ·			ay. Sand.	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder.Do not use a heavy		ay. Sand.	
Suitable extinguishing media	Foam. Dry powder.Do not use a heavy	water stream.	ay. Sand.	
Suitable extinguishing media Unsuitable extinguishing media .2. Specific hazards arising from the ch Hazardous decomposition products in case of	: Foam. Dry powder. : Do not use a heavy emical : Toxic fumes may be	water stream.	ay. Sand.	
Suitable extinguishing media Unsuitable extinguishing media 2. Specific hazards arising from the ch Hazardous decomposition products in case of fire	Foam. Dry powder. Do not use a heavy memical Toxic fumes may be recautions for fire-fighte Use water spray or file	water stream. released.	ntainers. Exerc	cise caution when fighting any vironment.
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3.3. Special protective equipment and protect	 Foam. Dry powder. Do not use a heavy emical Toxic fumes may be recautions for fire-fighter Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a 	water stream. released. og for cooling exposed co nt fire fighting water from e a without proper protective	ntainers. Exerc intering the en e equipment, ir	
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3. Special protective equipment and p Firefighting instructions Protection during firefighting	 Foam. Dry powder. Do not use a heavy emical Toxic fumes may be recautions for fire-fighter Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete 	water stream. released. og for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prot	ntainers. Exerc intering the en e equipment, ir	vironment. Including respiratory protection. Do
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3.3. Special protective equipment and p Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure	 Foam. Dry powder. Do not use a heavy Emical Toxic fumes may be recautions for fire-fighte Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete 	water stream. released. Frs fog for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prot e protective clothing.	ntainers. Exerc intering the en e equipment, ir	vironment. Including respiratory protection. Do
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3. Special protective equipment and pr Firefighting instructions Protection during firefighting SECTION 6: Accidental release mease 1. Personal precautions, protective equipment	 Foam. Dry powder. Do not use a heavy Emical Toxic fumes may be recautions for fire-fighte Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete 	water stream. released. Frs fog for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prot e protective clothing.	ntainers. Exerc intering the en e equipment, ir	vironment. Including respiratory protection. Do
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3.3. Special protective equipment and pr Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 1. Personal precautions, protective eq 3.1. For non-emergency personnel	 Foam. Dry powder. Do not use a heavy Do not use a heavy Toxic fumes may be Toxic fumes may be Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete SURES 	water stream. released. rog for cooling exposed cont fire fighting water from ea a without proper protective action without suitable protective e protective clothing. r procedures	ntainers. Exerc intering the en e equipment, ir ective equipme	vironment. Including respiratory protection. Do ent. Self-contained breathing
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3. Special protective equipment and pr Firefighting instructions Protection during firefighting SECTION 6: Accidental release mease 1. Personal precautions, protective equipment	 Foam. Dry powder. Do not use a heavy emical Toxic fumes may be recautions for fire-fighter Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete SURES uipment and emergency Ventilate spillage are 	water stream. released. Frs fog for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prot e protective clothing.	ntainers. Exerce intering the en e equipment, ir ective equipment personnel. Av	vironment. Including respiratory protection. Do ent. Self-contained breathing void breathing
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3.3. Special protective equipment and pr Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 1. Personal precautions, protective eq 3.1. For non-emergency personnel	 Foam. Dry powder. Do not use a heavy emical Toxic fumes may be recautions for fire-fighter Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete SURES uipment and emergency Ventilate spillage are 	water stream. released. rs rog for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prot e protective clothing. r procedures ea. Evacuate unnecessary	ntainers. Exerce intering the en e equipment, ir ective equipment personnel. Av	vironment. Including respiratory protection. Do ent. Self-contained breathing void breathing
Suitable extinguishing media Unsuitable extinguishing media 2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3. Special protective equipment and pr Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 1. Personal precautions, protective eq 1.1. For non-emergency personnel Emergency procedures	 Foam. Dry powder Do not use a heavy emical Toxic fumes may be recautions for fire-fighte Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete SUITES uipment and emergency Ventilate spillage ard dust/fume/gas/mist/wist/wist/sub Do not attempt to take 	water stream. released. rs og for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prote e protective clothing. r procedures ea. Evacuate unnecessary vapours/spray. Avoid conta ke action without suitable	ntainers. Exerce entering the en e equipment, ir ective equipment personnel. Av act with skin ar	vironment. Including respiratory protection. Do ent. Self-contained breathing void breathing
Suitable extinguishing media Unsuitable extinguishing media 3.2. Specific hazards arising from the ch Hazardous decomposition products in case of fire 3.3. Special protective equipment and pr Firefighting instructions Protection during firefighting 5.1. Personal precautions, protective eq 5.1.1. For non-emergency personnel Emergency procedures 5.1.2. For emergency responders	 Foam. Dry powder. (Do not use a heavy emical Toxic fumes may be recautions for fire-fighte Use water spray or f chemical fire. Preve Do not enter fire are not attempt to take a apparatus. Complete SUITES Wentilate spillage are dust/fume/gas/mist/s Do not attempt to ta proper protection. For 	water stream. released. rs og for cooling exposed co nt fire fighting water from e a without proper protective action without suitable prote e protective clothing. r procedures ea. Evacuate unnecessary vapours/spray. Avoid conta ke action without suitable	ntainers. Exerce entering the en e equipment, ir ective equipment personnel. Av act with skin ar	vironment. Including respiratory protection. Do ent. Self-contained breathing roid breathing Ind eyes. pment. Equip cleanup crew with

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containme	Methods and material for containment and cleaning up		
Methods for cleaning up	: Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Simplot Grower Solutions Monoammo	nium Phosphate 11-52-0
No additional information available	
Monoammonium Phosphate (7722-76-1	1)
No additional information available	

8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.

- Appropriate engineering controls Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1.	Information on basic physical and che	mical properties	
Physic	cal state	: Solid	
Colou	r	: Colourless	
03/02/2	2022	EN (English)	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 63 lbs/ft^3
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity			
10.1.	10.1. Reactivity			
The pro	The product is non-reactive under normal conditions of use, storage and transport.			
10.2.	Chemical stability			
Stable.	Not established.			
10.3.	Possibility of hazardous reactions			
Not est	ablished.			
10.4.	Conditions to avoid			
Extrem	ely high temperatures. Direct sunlight. Extren	nely high or low temperatures.		
10.5.	Incompatible materials			
		tion of unprotected metals. Strong acids. Strong bases.		
10.6.				
Extremely high temperatures. NH3, CN, SOx, POx. fume. Carbon monoxide. Carbon dioxide.				
	ION 11: Toxicological information			
<u>3ECT</u> 11.1.				
	Information on toxicological effects	Not classified		
		Not classified		
	,	Not classified		
	plot Grower Solutions Monoammonium P	•		
LD5) oral rat	> 2000 mg/kg		
LD5) dermal rat	> 5000 mg/kg		
Mon	oammonium Phosphate (7722-76-1)			
LD5) oral rat	5750 mg/kg (Rat)		

LD50 dermal rabbit

> 7940 mg/kg (Rabbit)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································	,
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after eye contact	: Causes eye irritation. mild eye irritation.

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Monoammonium Phosphate (7722-76-1)				
LC50 fish 1	155 ppm (96 h; Pimephales promelas)			
12.2. Persistence and degradability				
Simplot Grower Solutions Monoammonium Pl	nosphate 11-52-0			
Persistence and degradability	Not established.			
Monoammonium Phosphate (7722-76-1)	Monoammonium Phosphate (7722-76-1)			
Persistence and degradability	Biodegradability in water: no data available. Not established.			
12.3. Bioaccumulative potential				
Simplot Grower Solutions Monoammonium Phosphate 11-52-0				
Bioaccumulative potential	Not established.			
Monoammonium Phosphate (7722-76-1)				
Bioaccumulative potential	Not bioaccumulative. Not established.			
12.4. Mobility in soil				

No additional information available

12.5. Other adverse effects

Other information

: Avoid unintentional release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid unintentional release to the environment.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Simplot Grower Solutions Monoammonium Phosphate 11-52-0

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Monoammonium Phosphate (7722-76-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: None.

Full text of H-statements:

H320	Causes eye irritation
H335	May cause respiratory irritation.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.