

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10
Product code : M29170

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fertilizer

1.3. Details of the supplier of the safety data sheet

JR Simplot Company
P.O. Box 70013
Boise, ID 83707
T 1-208-336-2110

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation, Category 2B H320

Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Signal word (GHS-US) : Warning
Hazard statements (GHS-US) : H320 - Causes eye irritation
Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical attention

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Proprietary			Not classified
calcium oxide	(CAS No) 1305-78-8		Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335
potassium hydroxide	(CAS No) 1310-58-3		Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
iron(II)sulfate	(CAS No) 7720-78-7		Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315
copper(II) sulfate, pentahydrate	(CAS No) 7758-99-8		Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
zinc sulfate	(CAS No) 7733-02-0		Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
manganese(II)sulfate	(CAS No) 7785-87-7		STOT RE 2, H373

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow breathing of fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

copper(II) sulfate, pentahydrate (7758-99-8)		
Not applicable		
iron(II)sulfate (7720-78-7)		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
Not applicable		
manganese(II)sulfate (7785-87-7)		
ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³
Not applicable		
zinc sulfate (7733-02-0)		
Not applicable		
calcium oxide (1305-78-8)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
Not applicable		
Proprietary		
Not applicable		
potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granules.

Colour : Mixture contains one or more component(s) which have the following colour(s):
Colourless-white Unpurified: grey-brown White Colourless Brown-black to black Blue Red-brown to black Pure substance: white On exposure to air: turns yellow-brown Commercial substance: blue-green Green White to light yellow Colourless to white Pure substance: colourless to white-grey Unpurified: yellow to brown Commercial substance: yellow to brown White to light grey Black

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Odourless In moist air: Ammonia odour Mild odour Petroleum-like odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : • urea (57-13-6): 100 g/100ml • ammonium sulfate (7783-20-2): 77 g/100ml • potassium chloride: 34 g/100ml • copper(II)oxide: insoluble • copper(II) sulfate, pentahydrate: 23 g/100ml • iron(III) oxide: < 0.1 g/100ml • iron(II)sulfate: 26 g/100ml • manganese(II)oxide: insoluble • zinc oxide: 0.00029 g/100ml • zinc sulfate: > 54 g/100ml • calcium oxide: 0.13 g/100ml (20 °C) • silicon dioxide, amorphous: 0.15 g/100ml • manganese(II)sulfate: 52 g/100ml (5 °C) • wax (paraffins- petroleum): insoluble • diatomaceous earth: insoluble • urea: 100 g/100ml • potassium hydroxide: 121 g/100ml (25 °C) • iron(II,III)oxide: insoluble
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

copper(II) sulfate, pentahydrate (7758-99-8)	
LD50 oral rat	300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity)
ATE US (oral)	300.000 mg/kg bodyweight
iron(II)sulfate (7720-78-7)	
LD50 oral rat	319 mg/kg (Rat; Literature)
ATE US (oral)	319.000 mg/kg bodyweight
manganese(II)sulfate (7785-87-7)	
LD50 oral rat	2150 mg/kg (Rat; Experimental value)
ATE US (oral)	2150.000 mg/kg bodyweight
zinc sulfate (7733-02-0)	
LD50 oral rat	1000 - 2000 mg/kg (Rat)
ATE US (oral)	1000.000 mg/kg bodyweight
calcium oxide (1305-78-8)	
LD50 oral rat	> 2000 mg/kg bodyweight (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value)
LD50 dermal rabbit	> 2500 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)
potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg (Rat)
ATE US (oral)	333.000 mg/kg bodyweight

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after eye contact : Causes eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

copper(II) sulfate, pentahydrate (7758-99-8)	
LC50 fish 1	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)
EC50 Daphnia 1	0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)
LC50 fish 2	0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)
TLM fish 1	3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)
Threshold limit algae 1	0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form
Threshold limit algae 2	0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)
iron(II)sulfate (7720-78-7)	
LC50 fish 1	925 mg/l (96 h; Poecilia reticulata; Heptahydrate)
EC50 Daphnia 1	7.2 mg/l (48 h; Daphnia magna; Metal ion)
LC50 fish 2	100 mg/l (96 h; Oryzias latipes; GLP)
EC50 Daphnia 2	152 mg/l (48 h; Daphnia magna; Heptahydrate)

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

iron(II)sulfate (7720-78-7)	
Threshold limit algae 1	130 mg/l (72 h; Pseudokirchneriella subcapitata; Heptahydrate)
Threshold limit algae 2	3.2 mg/l (72 h; Pseudokirchneriella subcapitata; Heptahydrate)
manganese(II)sulfate (7785-87-7)	
LC50 fish 1	2850 mg/l (96 h; Colisa fasciatus; Manganese ion)
EC50 Daphnia 1	8.28 mg/l (48 h; Daphnia magna)
LC50 fish 2	33.8 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 2	10 mg/l (24 h; Daphnia magna)
Threshold limit algae 1	25.7 mg/l (Phaeodactylum; Growth)
Threshold limit algae 2	61 mg/l (72 h; Desmodesmus subspicatus; GLP)
zinc sulfate (7733-02-0)	
LC50 fish 1	1.7 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	1 mg/l (24 h; Daphnia magna)
LC50 fish 2	2.4 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	0.56 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	136 µg/l (72 h; Selenastrum capricornutum; Growth rate)
Threshold limit algae 2	24 µg/l (3 days; Selenastrum capricornutum; Growth rate)
calcium oxide (1305-78-8)	
LC50 fish 1	1070 mg/l (96 h; Cyprinus carpio)
EC50 Daphnia 1	159.6 mg/l (24 h; Crustacea)
LC50 fish 2	240 mg/l (24 h; Gambusia affinis)
TLM fish 1	240 ppm (24 h; Gambusia affinis)
Threshold limit algae 1	184.57 mg/l (72 h; Pseudokirchneriella subcapitata; Growth rate)
potassium hydroxide (1310-58-3)	
LC50 fish 1	28.6 mg/l (24 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100 - 1000,96 h

12.2. Persistence and degradability

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10	
Persistence and degradability	Not established.
copper(II) sulfate, pentahydrate (7758-99-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
iron(II)sulfate (7720-78-7)	
Persistence and degradability	Biodegradability in water: no data available. No (test)data on mobility of the substance available. Not established.
manganese(II)sulfate (7785-87-7)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available. May cause long-term adverse effects in the environment.
ThOD	Not applicable (inorganic)
zinc sulfate (7733-02-0)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

calcium oxide (1305-78-8)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Proprietary	
Persistence and degradability	Not established.

potassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10	
Bioaccumulative potential	Not established.

copper(II) sulfate, pentahydrate (7758-99-8)	
Bioaccumulative potential	Bioaccumable. Not established.

iron(II)sulfate (7720-78-7)	
BCF fish 1	2 - 20 (28 days; Cyprinus carpio; Heptahydrate)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.

manganese(II)sulfate (7785-87-7)	
Bioaccumulative potential	No bioaccumulation data available. Not established.

zinc sulfate (7733-02-0)	
BCF fish 1	59 - 242 (Cyprinus carpio; Test duration: 8 weeks)
Bioaccumulative potential	Bioaccumable. Not established.

calcium oxide (1305-78-8)	
Bioaccumulative potential	Not bioaccumulative. Not established.

Proprietary	
Bioaccumulative potential	Not established.

potassium hydroxide (1310-58-3)	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

12.4. Mobility in soil

copper(II) sulfate, pentahydrate (7758-99-8)	
Ecology - soil	Toxic to flora.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

copper(II) sulfate, pentahydrate	CAS No 7758-99-8	%
Proprietary	CAS No	%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

zinc sulfate	CAS No 7733-02-0	%
--------------	------------------	---

iron(II)sulfate (7720-78-7)

CERCLA RQ 1000 lb

zinc sulfate (7733-02-0)

CERCLA RQ 1000 lb

potassium hydroxide (1310-58-3)

CERCLA RQ 1000 lb

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

iron(II)sulfate (7720-78-7)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

zinc sulfate (7733-02-0)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Winsupply WIN-PRO SUMMER PCU + MU & MICROS 22-0-10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

calcium oxide (1305-78-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

potassium hydroxide (1310-58-3)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information : None.

Full text of H-statements:

H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H320	Causes eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.