

-

GAL-Xe ONE™ 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/11/2021 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: GAL-Xe ONE™ 42-0-0		
Product code	: M74413		
1.2. Recommended use and restrictions of	on use		
Use of the substance/mixture	: Fertilizer		
1.3. Supplier			
JR Simplot Company			
P.O. Box 70013			
Boise, ID 83707			
T 1-208-336-2110			
1.4. Emergency telephone number			
Emergency number	: CHEMTREC 1-800-424-9300		
	. CHEMIKEC 1-800-424-9500		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	xture		
GHS-US classification			
Serious eye damage/eye irritation, Category 2B	H320 Causes eve irritation		
Full text of H statements : see section 16			
2.2. GHS Label elements, including preca	utionary statements		
GHS US labelling			
Signal word (GHS US)	: Warning		
Hazard statements (GHS US)	: H320 - Causes eye irritation		
Precautionary statements (GHS US)	: P264 - Wash hands, forearms and		
	contact lenses, if present and easy		h water for several minutes. Remove
	P337+P313 - If eye irritation persis		
2.3. Other hazards which do not result in	classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
urea (57-13-6)	(CAS-No.) 57-13-6	75-95	Eye Irrit. 2B, H320
	a continue de		
Full text of hazard classes and H-statements : see	Section 16		
SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to a		on. If you feel unwell, seek medical
	advice (show the label where poss	,	has athle as Alleres Wester Lands
First-aid measures after inhalation	: Remove person to fresh air and ke	ep comfortable for	preatning. Allow affected person to
	breathe fresh air. Allow the victim t	to rest.	

GAL-Xe ONE™ 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact and easy to do. Continue rinsing. Rinse eyes with water as a precaution. : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison First-aid measures after ingestion center or a doctor if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) Potential adverse human health effects and : Based on available data, the classification criteria are not met. symptoms Symptoms/effects after eye contact : Causes eye irritation. Immediate medical attention and special treatment, if necessary 4.3. Treat symptomatically. SECTION 5: Fire-fighting measures Suitable (and unsuitable) extinguishing media 5.1. Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical Hazardous decomposition products in case of : Toxic fumes may be released. fire 5.3. Special protective equipment and precautions for fire-fighters **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. : Do not enter fire area without proper protective equipment, including respiratory protection. Do Protection during firefighting not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1. 6.1.1. For non-emergency personnel Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Ventilate area. 6.2 **Environmental precautions** Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. Other information : Dispose of materials or solid residues at an authorized site. 6.4. **Reference to other sections** See Heading 8. Exposure controls and personal protection. For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands Precautions for safe handling and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

	product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

GAL-Xe ONE™ 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

GAL-Xe ONE™ 42-0-0

No additional information available

urea (57-13-6) (57-13-6)

No additional information available

8.2. Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Appropriate engineering controls Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	hemical properties
Physical state	: Solid
Appearance	: Granule.
Colour	: Dark
Odour	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Mild odour Petroleum-like odour Odourless In moist air: Ammonia odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.

GAL-Xe ONE™ 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: Slowly soluble, coating insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available
0.2 Other information	

9.2. Other information

No additional information available

SECTI	SECTION 10: Stability and reactivity		
10.1.	Reactivity		
The proc	duct is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability		

Not established.

10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong	acids. Strong bases.
10.6.	Hazardous decomposition products
fume. C	Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
urea (57-13-6) (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat: OECD 401: Acute Oral Toxicity: Literature study: 14300 mg/kg bodyweight:

LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweig Rat; Experimental value)	ght;
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)	
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes eye irritation.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
05/14/2021	EN (English)	4/6

GAL-Xe ONE[™] 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Potential adverse human health effects and : Based on available data, the classification criteria are not met.
symptoms

Symptoms/effects after eye contact : Causes eye irritation.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

urea (57-13-6) (57-13-6)		
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)	
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)	
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)	
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)	
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)	
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)	
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)	
Threshold limit algae 1	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)	
Threshold limit algae 2	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)	

12.2. Persistence and degradability

GAL-Xe ONE™ 42-0-0	
Persistence and degradability	Not established.
urea (57-13-6) (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
ThOD	0.27 g O₂/g substance

12.3. Bioaccumulative potential

GAL-Xe ONE™ 42-0-0		
Bioaccumulative potential	Not established.	
urea (57-13-6) (57-13-6)		
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)	
BCF other aquatic organisms 1	11700 (Chlorella sp.)	
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid unintentional release to the environment.

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
Ecology - waste materials	: Avoid unintentional release to the environment.			

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

GAL-Xe ONE[™] 42-0-0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

GAL-Xe ONE™ 42-0-0

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations	
CANADA	
urea (57-13-6) (57-13-6)	
Listed on the Canadian DSL (Domestic Substances List)	
EU-Regulations No additional information available National regulations No additional information available	
15.3. US State regulations	

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: None.

Full text of H-statements:

H320 Causes eye irritation

Indication of changes:

Section	Changed item	Change	Comments
16			Harmonized Schedule Code (HS Code): 310210

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.