

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : PHT AD-BUFF  
Product code : M77383WA  
Other means of identification : WA Reg. No. 7001-05001

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

JR Simplot Company  
Boise, ID 83707  
T 1-208-336-2110

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Eye Dam. 1 H318

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H318 - Causes serious eye damage

Precautionary statements (GHS-US) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a poison center/doctor/...

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Proprietary			Not classified
lecithins	(CAS No) 8002-43-5		Not classified
propionic acid	(CAS No) 79-09-4		Flam. Liq. 3, H226 Skin Corr. 1B, H314

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
-------------------	--------------------------------------------------------------------------------------------

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
-------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propionic acid (79-09-4)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	10 ppm

#### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear Amber Liquid.
Color	: Colorless
Odor	: Slight vinegar odor
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.016 - 1.034
Solubility	: Soluble. Water: Solubility in water of component(s) of the mixture : •: •:
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable. Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Heat and sources of ignition. High alkaline condition. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

PHT AD-BUFF	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

propionic acid (79-09-4)	
LD50 oral rat	> 2000 mg/kg (Rat)

Skin corrosion/irritation : Not classified.  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitization : Not classified.  
Germ cell mutagenicity : Not classified  
Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Based on available data, the classification criteria are not met  
Specific target organ toxicity (single exposure) : Not classified  
Specific target organ toxicity (repeated exposure) : Not classified  
Based on available data, the classification criteria are not met  
Aspiration hazard : Not classified  
Based on available data, the classification criteria are not met  
Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

propionic acid (79-09-4)	
LC50 fish 1	> 10000 mg/l (96 h; Leuciscus idus)
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h; Daphnia magna)
LC50 fish 2	72 mg/l (48 h; Cyprinus carpio)
LC50 other aquatic organisms 2	50 mg/l (48 h)
TLM fish 1	100 - 1000,96 h; Pisces
TLM fish 2	188 mg/l (24 h; Lepomis macrochirus)
TLM other aquatic organisms 1	50 mg/l (48 h; Daphnia magna)
Threshold limit other aquatic organisms 1	100 - 1000,96 h; Daphnia magna
Threshold limit other aquatic organisms 2	50 mg/l (48 h; Pseudomonas putida)
Threshold limit algae 1	45.8 mg/l (72 h; Scenedesmus subspicatus)

### 12.2. Persistence and degradability

PHT AD-BUFF	
Persistence and degradability	Not established.

Proprietary	
Persistence and degradability	Not established.

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>lecithins (8002-43-5)</b>	
Persistence and degradability	Biodegradability in water: no data available. Not established.
<b>propionic acid (79-09-4)</b>	
Persistence and degradability	Readily biodegradable in water. Readily biodegradable in water in anaerobic conditions. Biodegradable in the soil. Not established.
Biochemical oxygen demand (BOD)	0.77 - 0.92 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.420 g O <sub>2</sub> /g substance
ThOD	1.513 g O <sub>2</sub> /g substance
BOD (% of ThOD)	> % ThOD (5 day(s)) > 0.5

### 12.3. Bioaccumulative potential

<b>PHT AD-BUFF</b>	
Bioaccumulative potential	Not established.
<b>Proprietary</b>	
Bioaccumulative potential	Not established.
<b>lecithins (8002-43-5)</b>	
Bioaccumulative potential	No bioaccumulation data available. Not established.
<b>propionic acid (79-09-4)</b>	
BCF other aquatic organisms 1	< 100
Log Pow	0.25 - 0.33 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.

### 12.4. Mobility in soil

<b>propionic acid (79-09-4)</b>	
Surface tension	0.027 N/m (20 °C)

### 12.5. Other adverse effects

Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT  
Not regulated for transport

### Additional information

Other information	: DOT CORROSIVE TO ALLUMINUM AND STEEL. NOT REGULATED BY DOT IF TRANSPORTED BY MOTOR VEHICAL OR RAILCAR IN PACKAGEING THAT WILL NOT REACT DANGEROUSLY OR BE DEGRADED BY THIS MATERIAL, 49CFR 173.15(D).
-------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### ADR

Transport document description :

### Transport by sea

UN-No. (IMDG)	: 1848
Proper Shipping Name (IMDG)	: PROPIONIC ACID
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger

### Air transport

No additional information available

# PHT AD-BUFF

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory except for:

Proprietary	CAS No	C>=32.00% ; C<=40.00%
-------------	--------	-----------------------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### propionic acid (79-09-4)

Not listed on SARA Section 313 (Specific toxic chemical listings)

RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb
----------------------------------------------------------------	---------

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

##### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

##### 15.2.2. National regulations

No additional information available

#### 15.3. US State regulations

#### propionic acid (79-09-4)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### SECTION 16: Other information

Data sources

:  
: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H-phrases: see section 16:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H226	Flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

SDS US (GHS HazCom 2012)

*Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.*