

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/20/2020

Revision date: 07/20/2020

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®
 Product code : M80341

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

JR Simplot Company
 P.O. Box 70013
 Boise, ID 83707
 T 1-208-336-2110

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation
 Carcinogenicity, Category 1A H350 May cause cancer.
 Specific target organ toxicity — Repeated exposure, Category 2 H373 May cause damage to organs through prolonged or repeated exposure.
 Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
 Hazard statements (GHS US) : H320 - Causes eye irritation
 H350 - May cause cancer.
 H373 - May cause damage to organs through prolonged or repeated exposure.
 Precautionary statements (GHS US) : P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 - If exposed or concerned: Get medical attention
 P314 - Get medical advice/attention if you feel unwell.
 P337+P313 - If eye irritation persists: Get medical attention
 P405 - Store locked up.
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|----------------|----------------------|-----|---|
| urea (57-13-6) | (CAS-No.) 57-13-6 | 37 | Eye Irrit. 2B, H320 |
| quartz | (CAS-No.) 14808-60-7 | 2.5 | Eye Irrit. 2B, H320 Carc. 1A, H350 STOT SE 3, H335 STOT RE 2, H373 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after eye contact : mild eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| quartz (14808-60-7) | | |
|--------------------------|--------------------------------|---|
| ACGIH | Local name | Silica crystalline - quartz |
| ACGIH | ACGIH TWA (mg/m ³) | 0.025 R |
| ACGIH | Remark (ACGIH) | TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen) |
| ACGIH | Regulatory reference | ACGIH 2019 |
| OSHA | Remark (OSHA) | Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO ₂ +5)) for mppcf and (10 mg/m ³ / (%SiO ₂ +2)) for mg/m ³ . CAS No. source: eCFR Table Z-1. |
| OSHA | Regulatory reference (US-OSHA) | OSHA Annotated Table Z-3 Mineral Dusts |
| urea (57-13-6) (57-13-6) | | |
| Not applicable | | |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Colour : Mixture contains one or more component(s) which have the following colour(s): White Colourless to white Colourless White to rose On exposure to air: turns brown Red-brown
- Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.
Mixture contains one or more component(s) which have the following odour:
Odourless In moist air: Ammonia odour

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--|--------------------------|
| Odour threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 66 lbs/ft ³ |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive limits | : Not applicable |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| urea (57-13-6) (57-13-6) | |
|--------------------------|--|
| LD50 oral rat | 8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value) |
| LD50 dermal rat | > 3200 mg/kg (Rat; Literature study) |
| LD50 dermal rabbit | > 21000 mg/kg (Rabbit; Literature study) |
| ATE US (oral) | 8471 mg/kg bodyweight |

| | |
|-------------------------------|--------------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes eye irritation. |

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|-----------------------------------|---------------------|
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : May cause cancer. |

| | |
|----------------------------|----------------------------|
| quartz (14808-60-7) | |
| IARC group | 1 - Carcinogenic to humans |

| | |
|-----------------------|------------------|
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |

| | |
|----------------------------|-----------------------------------|
| quartz (14808-60-7) | |
| STOT-single exposure | May cause respiratory irritation. |

| | |
|------------------------|--|
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

| | |
|----------------------------|--|
| quartz (14808-60-7) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

| | |
|------------------------------------|------------------------|
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects after eye contact | : mild eye irritation. |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
|-------------------|---|

| | |
|---|--|
| urea (57-13-6) (57-13-6) | |
| LC50 fish 1 | > 6810 mg/l (96 h; <i>Leuciscus idus</i> ; Nominal concentration) |
| EC50 Daphnia 1 | > 10000 mg/l (48 h; <i>Daphnia magna</i> ; Nominal concentration) |
| LC50 fish 2 | 17500 mg/l (96 h; <i>Poecilia reticulata</i>) |
| EC50 Daphnia 2 | > 10000 mg/l (24 h; <i>Daphnia magna</i>) |
| TLM fish 1 | 17500 ppm (96 h; <i>Poecilia reticulata</i>) |
| Threshold limit other aquatic organisms 1 | 120000 mg/l (16 h; Bacteria; Toxicity test) |
| Threshold limit other aquatic organisms 2 | > 10000 mg/l (<i>Pseudomonas putida</i>) |
| Threshold limit algae 1 | > 10000 mg/l (168 h; <i>Scenedesmus quadricauda</i> ; Growth rate) |
| Threshold limit algae 2 | 47 mg/l (192 h; <i>Microcystis aeruginosa</i> ; Growth rate) |

12.2. Persistence and degradability

| | |
|---------------------------------|--|
| quartz (14808-60-7) | |
| Persistence and degradability | Biodegradability: not applicable. Not established. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

| | |
|---------------------------------|---|
| urea (57-13-6) (57-13-6) | |
| Persistence and degradability | Inherently biodegradable. Hydrolysis in water. Not established. |
| ThOD | 0.27 g O ₂ /g substance |

12.3. Bioaccumulative potential

| | |
|----------------------------|---|
| quartz (14808-60-7) | |
| Log Pow | Not applicable |
| Bioaccumulative potential | No bioaccumulation data available. Not established. |

| | |
|---------------------------------|--|
| urea (57-13-6) (57-13-6) | |
| BCF fish 1 | 1 (72 h; <i>Brachydanio rerio</i> ; Fresh water) |
| BCF other aquatic organisms 1 | 11700 (<i>Chlorella</i> sp.) |
| Log Pow | < -1.73 (Experimental value; EU Method A.8: Partition Coefficient) |

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

urea (57-13-6) (57-13-6)

Bioaccumulative potential

Bioaccumulation: not applicable. Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

urea (57-13-6) (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Simplot 17-0-24 contains GAL-Xe ONE® and Hydrofuze®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Component | State or local regulations |
|--------------------|---|
| quartz(14808-60-7) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 07/20/2020

Full text of H-statements:

| | |
|------|--|
| H320 | Causes eye irritation |
| H335 | May cause respiratory irritation. |
| H350 | May cause cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.