Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/02/2022 Version: 1.2

SECTION 4. Identification	
SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Simplot Grower Solutions Sulfur Granular
CAS-No.	: 7704-34-9
Product code	: M80455
Formula	: Solid
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Fertilizer
Use of the substance/mixture	: Chemical raw material
1.3. Supplier	
No additional information available	
1.4. Emergency telephone number	
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	lixture
GHS-US classification	
Skin corrosion/irritation, Category 2	H315 Causes skin irritation.
Serious eye damage/eye irritation, Category 2E	3 H320 Causes eye irritation
Full text of H statements : see section 16	
0.0 OUD Labor strength in shading and	and the same of a formation
2.2. GHS Label elements, including prec	autionary statements
GHS US labelling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H315 - Causes skin irritation.
	H320 - Causes eye irritation
Precautionary statements (GHS US)	: P264 - Wash hands, forearms and face thoroughly after handling.
, , , , , , , , , , , , , , , , , , ,	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - If on skin: Wash with plenty of water/
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P321 - Specific treatment (see supplemental first aid instruction on this label)
	P332+P313 - If skin irritation occurs: Get medical attention
	P337+P313 - If eye irritation persists: Get medical attention
	P362+P364 - Take off contaminated clothing and wash it before reuse.
2.3. Other hazards which do not result in	a classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	

SECTIO	SECTION 3: Composition/information on ingredients		
3.1.	Substances		
Name		: Simplot Grower Solutions Sulfur Granular	
CAS-No).	: 7704-34-9	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Sulfur Granular	(CAS-No.) 7704-34-9	90	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
bentonite	(CAS-No.) 1302-78-9	10	Not classified

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	 Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.html). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	cts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Irritation of the respiratory tract. Coughing. Possible inflammation of the respiratory tract. Irritation of the nasal mucous membranes. Runny nose.
Symptoms/effects after skin contact	: Tingling/irritation of the skin. Causes skin irritation.
Symptoms/effects after eye contact	: Irritation of the eye tissue. Lacrimation. FOLLOWING SYMPTOMS MAY APPEAR LATER: Visual disturbances. Causes eye irritation.
Symptoms/effects after ingestion	: AFTER INGESTION OF HIGH QUANTITIES: Change in the haemogramme/blood composition. Headache. Vomiting. Abdominal pain. Diarrhoea.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Affection of the nasal septum. Possible inflammation of the respiratory tract. Risk of pneumonia. Respiratory difficulties. Conjunctivitis. Gastrointestinal complaints.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	Preferably: water spray. Polyvalent foam. ABC powder. Carbon dioxide. Sand/earth. Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	Solid water jet ineffective as extinguishing medium. Do not use a heavy water stream.	
5.2. Specific hazards arising from the chemical		
Fire hazard :	DIRECT FIRE HAZARD: Combustible. INDIRECT FIRE HAZARD: Temperature above flashpoint: higher fire/explosion hazard. May build up electrostatic charges: risk of ignition. Reactions involving a fire hazard: see "Reactivity Hazard".	
Explosion hazard :	DIRECT EXPLOSION HAZARD: Fine dust is explosive with air. INDIRECT EXPLOSION HAZARD: Dust cloud can be ignited by a spark. Reactions with explosion hazards: see "Reactivity Hazard".	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and pro	ecautions for fire-fighters
Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	 Dilute toxic gases with water spray. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SEC	ION 6: Accidental release me	easures
6.1.	Personal precautions, protective	equipment and emergency procedures
6.1.1.	For non-emergency personnel	
Prote	ctive equipment	: Gloves. Face shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit. See "Material-Handling" to select protective clothing.
Emei	gency procedures	Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation. Evacuate unnecessary personnel.
Meas	sures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. In case of dust production: stop engines and no smoking. In case of dust production: no naked flames or sparks. Dust: spark-/explosionproof appliances/lighting equipment.
6.1.2.	For emergency responders	
Prote	ctive equipment	: Equip cleanup crew with proper protection.
Emer	gency procedures	: Ventilate area.
6.2.	Environmental precautions	
Prever	nt entry to sewers and public waters. No	tify authorities if liquid enters sewers or public waters.
6.3.	Methods and material for contain	ment and cleaning up
For c	ontainment	: Contain released product, collect/pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray. Provide equipment/receptacles with earthing. Powdered form: no compressed air for pumping over spills.
Moth	ods for cleaning up	· Stop dust cloud by humidifying. Scoop solid spill into closing containers. See "Material-

Stop dust cloud by humidifying. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Powdered: do not use compressed air for pumping Methods for cleaning up over spills. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Powdered form: no compressed air for pumping over. Avoid raising dust. Take precautions against electrostatic charges. Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Observe normal hygiene standards. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) bases. oils-fats. metals. halogens. water/moisture.
03/02/2022	EN (English) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage area	: Store in a dry area. Keep container in a well-ventilated place. Fireproof storeroom. Provide the tank with earthing. Meet the legal requirements.
Special rules on packaging	 SPECIAL REQUIREMENTS: hermetical. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: stainless steel. aluminium. plastics. paper. cardboard. textile. MATERIAL TO AVOID: copper.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Simplot Grower Solutions Sulfur Granular (7704-34-9)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	3 mg/m ³	
Simplot Grower Solutions Sulfur Granular (7704-34-9)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	3 mg/m ³	
bentonite (1302-78-9)		
No additional information available		

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. PVC. neoprene

Hand protection:

Gloves. Wear protective gloves.

Eye protection:

Face shield. In case of dust production: protective goggles. Chemical goggles or safety glasses

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. Wear suitable protective clothing

Respiratory protection:

Dust production: dust mask with filter type P2. On heating: gas mask with filter type E. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Solid in various shapes. Crystalline powder.	
Colour	: Pure substance: light yellow Unpurified: yellow to brown	
Odour	: Pure substance is odourless Commercial/unpurified substance: Unpleasant odour	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: 112 – 119 °C	
Freezing point	: No data available	
Boiling point	: 445 °C	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Critical temperature	: 1040 °C
Critical pressure	: 117508 hPa
Flash point	: 168 – 207 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: 2 E-6
Vapour pressure at 50 °C	: 25 E-6
Relative vapour density at 20 °C	: No data available
Relative density	: 2
Molecular mass	: 32.06 g/mol
Solubility	: Insoluble in water. Substance sinks in water. Soluble in ethanol. Soluble in ether. Soluble in chloroform. Soluble in tetrachloromethane. Soluble in toluene. Soluble in aniline. Soluble in carbondisulfide. Soluble in ammonia. Soluble in turpentine. Soluble in oil. Water: insoluble
Partition coefficient n-octanol/water (Log Pow)	: 0.23 (Estimated value)
Auto-ignition temperature	: 235 °C
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 35 – 1400 g/m ³
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
Saturation concentration	: 0.000003 g/m³
VOC content	: Not applicable
Other properties	: May generate electrostatic charges.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water (moisture): release of corrosive products. On burning: release of toxic and corrosive gases/vapours (sulphur dioxide). Violent to explosive reaction with many compounds e.g.: with (some) metal powders. With (some) metals and their compounds. And with (some) halogens. Reacts violently with (strong) oxidizers: heat release resulting in increased fire or explosion risk. Oxidizes slowly in dry air: release of (highly) toxic gases/vapours (sulphur dioxide). Oxidizes slowly under increased oxygen concentration: release of (highly) toxic gases/vapours (sulphur dioxide).

10.2. Chemical stability

Unstable on exposure to moisture. Unstable on exposure to air. Not established.

10.3.	Possibility of hazardous reactions	
Not estab	blished.	
10.4.	Conditions to avoid	
Direct su	nlight. Extremely high or low temperatures.	
10.5.	Incompatible materials	
Strong ad	cids. Strong bases.	
10.6.	Hazardous decomposition products	
fume. Ca	rbon monoxide. Carbon dioxide.	
SECTIO	DN 11: Toxicological information	
11.1.	Information on toxicological effects	
Acute toxicity (oral) :		Not classified
Acute toxicity (dermal) :		Not classified
Acute toxicity (inhalation) : I		Not classified
Simpl	ot Grower Solutions Sulfur Granular (77	04-34-9)
LD50 oral rat		> 5000 mg/kg (Rat)
LD50 dermal rabbit		> 2000 mg/kg (Rabbit)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Simplot Grower Solutions Sulfur Granular	(7704-34-9)
LC50 inhalation rat (mg/l)	> 9.23 mg/l/4h (Rat)
Simplot Grower Solutions Sulfur Granular (7704-34-9)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 9.23 mg/l/4h (Rat)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Irritation of the respiratory tract. Coughing. Possible inflammation of the respiratory tract. Irritation of the nasal mucous membranes. Runny nose.
Symptoms/effects after skin contact	: Tingling/irritation of the skin. Causes skin irritation.
Symptoms/effects after eye contact	: Irritation of the eye tissue. Lacrimation. FOLLOWING SYMPTOMS MAY APPEAR LATER: Visual disturbances. Causes eye irritation.
Symptoms/effects after ingestion	: AFTER INGESTION OF HIGH QUANTITIES: Change in the haemogramme/blood composition. Headache. Vomiting. Abdominal pain. Diarrhoea.
Chronic symptoms	 ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Affection of the nasal septum. Possible inflammation of the respiratory tract. Risk of pneumonia. Respiratory difficulties. Conjunctivitis. Gastrointestinal complaints.

SECTION 12: Ecological information		
12	2.1. Toxicity	
Ecology - air :		: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.1.
	Ecology - water :	: No water pollutant (surface water). Slightly harmful to fishes (LC50(96h) 100-1000 mg/l). Slightly harmful to invertebrates (Daphnia). Inhibition of activated sludge.
	Simplot Grower Solutions Sulfur Granular (77	04-34-9)
	LC50 fish 1	866 mg/l (96 h; Brachydanio rerio)
	LC50 fish 2	> 100 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
	TLM fish 1	10000 ppm (96 h; Gambusia affinis)

Threshold limit other aquatic organisms 1	> 10000 mg/l (24 h; Daphnia magna)
Simplot Grower Solutions Sulfur Granular (7704-34-9)	
LC50 fish 1	866 mg/l (96 h; Brachydanio rerio)
LC50 fish 2	> 100 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
TLM fish 1	10000 ppm (96 h; Gambusia affinis)
Threshold limit other aquatic organisms 1	> 10000 mg/l (24 h; Daphnia magna)

12.2. Persistence and degradability

Simplot Grower Solutions Sulfur Granular (7704-34-9)	
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
03/02/2022	EN (English) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Simplot Grower Solutions Sulfur Granular (7704-34-9)		
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
Simplot Grower Solutions Sulfur Granular (77	04-34-9)	
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil. Not established.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
bentonite (1302-78-9)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

12.3. Bioaccumulative potential

Simplot Grower Solutions Sulfur Granular (7704-34-9)		
Partition coefficient n-octanol/water (Log Pow)	0.23 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.	
Simplot Grower Solutions Sulfur Granular (7704-34-9)		
Partition coefficient n-octanol/water (Log Pow)	0.23 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.	
bentonite (1302-78-9)		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Mobility in soil

Simplot Grower Solutions Sulfur Granular (7704-34-9)	
Ecology - soil	Not toxic to bees.
Simplot Grower Solutions Sulfur Granular (7704-34-9)	
Ecology - soil	Not toxic to bees.

12.5. Other adverse effects

Other information

: Avoid unintentional release to the environment.

ns
: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Remove to an authorized dump. Do not discharge into surface water. Dispose in a safe manner in accordance with local/national regulations.
 LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive 2008/98/EC.
: Avoid unintentional release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT	
Transport document description	: NA1350 Sulfur, 9, III
UN-No.(DOT)	: NA1350
Proper Shipping Name (DOT)	: Sulfur
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada
DOT Special Provisions (49 CFR 172.102)	 30 - Sulfur is not subject to the requirements of this subchapter if transported in a non-bulk packaging or if formed to a specific shape (for example, prills, granules, pellets, pastilles, or flakes). A bulk packaging containing sulfur is not subject to the placarding requirements of subpart F of this part, if it is marked with the appropriate identification number as required by subpart D of this part. Molten sulfur must be marked as required by 172.325 of this subchapter. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.
DOT Packaging Exceptions (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Transport/Additional information	: 25 - Protected from sources of heat,74 - Stow "separated from" oxidizers
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 1350 , 4.1
UN-No. (IMDG)	: 1350
Class (IMDG)	: 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives
EmS-No. (1)	: F-A
EmS-No. (2)	: S-G
Air transport	
Transport document description (IATA)	: UN 1350 , 4.1, III
UN-No. (IATA)	: 1350
Class (IATA)	: 4-
Packing group (IATA)	: III - Minor Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information
15.1. US Federal regulations
Simplot Grower Solutions Sulfur Granular (7704-34-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Simplot Grower Solutions Sulfur Granular (7704-34-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
bentonite (1302-78-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2. International regulations
CANADA
Simplot Grower Solutions Sulfur Granular (7704-34-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations
No additional information available
Notional regulations

National regulations No additional information available

15.3. US State regulations

Simplot Grower Solutions Sulfur Granular (7704-34-9)	
State or local regulations	U.S New Jersey - Right to Know Hazardous Substance List

Component	State or local regulations
Simplot Grower Solutions Sulfur Granular(7704-34-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: None.

Full text of H-statements:

	H315	Causes skin irritation.
	H320	Causes eye irritation
NFF	PA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFF	PA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFF	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.