

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/11/2022

Revision date: 03/11/2022

Supersedes: 03/11/2022

Version: 1.1

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS  
Product code : M80456

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Fertilizer

#### 1.3. Supplier

Simplot AB Retail, Inc.  
P.O. Box 9296  
Boise, ID 83707

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Acute toxicity (oral), Category 4 H302 Harmful if swallowed.  
Serious eye damage/eye irritation, Category 2 H319 Causes serious eye irritation.  
Carcinogenicity, Category 1A H350 May cause cancer.

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H302 - Harmful if swallowed.  
H319 - Causes serious eye irritation.  
H350 - May cause cancer.

Precautionary statements (GHS US) :

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 - If swallowed: Call a poison center/doctor/... if you feel unwell  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical attention  
P330 - Rinse mouth.  
P337+P313 - If eye irritation persists: Get medical attention  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
urea (57-13-6)	(CAS-No.) 57-13-6	Trade Secret	Eye Irrit. 2B, H320
ammonium sulfate	(CAS-No.) 7783-20-2	Trade Secret	Eye Irrit. 2B, H320 STOT SE 3, H335
Iron Sucrate	(CAS-No.) 8047-67-4	Trade Secret	Acute Tox. 3 (Oral), H301 Carc. 2, H351
Monoammonium Phosphate	(CAS-No.) 7722-76-1	Trade Secret	Eye Irrit. 2B, H320 STOT SE 3, H335
Iron Oxysulfate		Trade Secret	Eye Irrit. 2B, H320
quartz	(CAS-No.) 14808-60-7	Trade Secret	Eye Irrit. 2B, H320 Carc. 1A, H350 STOT SE 3, H335 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Specific hazards arising from the chemical

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS</b>	
No additional information available	
<b>ammonium sulfate (7783-20-2)</b>	
No additional information available	
<b>urea (57-13-6) (57-13-6)</b>	
No additional information available	
<b>Monoammonium Phosphate (7722-76-1)</b>	
No additional information available	
<b>Iron Oxysulfate</b>	
No additional information available	
<b>quartz (14808-60-7)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Silica crystalline - quartz
ACGIH TWA (mg/m <sup>3</sup> )	0.025 R
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2019
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO <sub>2</sub> +5)) for mppcf and (10 mg/m <sup>3</sup> / (%SiO <sub>2</sub> +2)) for mg/m <sup>3</sup> . CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
<b>Iron Sucrate (8047-67-4)</b>	
No additional information available	

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless-white Unpurified: grey-brown Colourless to white Commercial substance: grey-green Pure substance: colourless to white Unpurified: grey-blue or red Black
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Odourless In moist air: Ammonia odour Mild odour Petroleum-like odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

ATE US (oral)	1162.743 mg/kg bodyweight
---------------	---------------------------

ammonium sulfate (7783-20-2)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg

urea (57-13-6) (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)

Monoammonium Phosphate (7722-76-1)	
LD50 oral rat	5750 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : May cause cancer.

quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans

Iron Sucrate (8047-67-4)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

ammonium sulfate (7783-20-2)	
STOT-single exposure	May cause respiratory irritation.

Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.

quartz (14808-60-7)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

quartz (14808-60-7)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic : No data available

Symptoms/effects after eye contact : Eye irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

<b>ammonium sulfate (7783-20-2)</b>	
LC50 fish 1	126 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	202 mg/l (96 h; Daphnia magna)
LC50 fish 2	250 – 480 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	433 mg/l (50 h; Daphnia magna)
TLM fish 1	1290 ppm (96 h; Gambusia affinis)
<b>urea (57-13-6) (57-13-6)</b>	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 1	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
Threshold limit algae 2	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)
<b>Monoammonium Phosphate (7722-76-1)</b>	
LC50 fish 1	155 ppm (96 h; Pimephales promelas)

#### 12.2. Persistence and degradability

<b>ammonium sulfate (7783-20-2)</b>	
Persistence and degradability	Biodegradability in water: no data available. Not established.
<b>urea (57-13-6) (57-13-6)</b>	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
ThOD	0.27 g O <sub>2</sub> /g substance
<b>Monoammonium Phosphate (7722-76-1)</b>	
Persistence and degradability	Biodegradability in water: no data available. Not established.
<b>Iron Oxysulfate</b>	
Persistence and degradability	Not established.
<b>quartz (14808-60-7)</b>	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
<b>Iron Sucrate (8047-67-4)</b>	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

<b>ammonium sulfate (7783-20-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	-5.1
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
<b>urea (57-13-6) (57-13-6)</b>	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>urea (57-13-6) (57-13-6)</b>	
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
<b>Monoammonium Phosphate (7722-76-1)</b>	
Bioaccumulative potential	Not bioaccumulative. Not established.
<b>Iron Oxysulfate</b>	
Bioaccumulative potential	Not established.
<b>quartz (14808-60-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	Not applicable
Bioaccumulative potential	No bioaccumulation data available. Not established.
<b>Iron Sucrate (8047-67-4)</b>	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not applicable

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Iron Oxysulfate	CAS-No.	Trade Secret%
Iron Sucrate	CAS-No. 8047-67-4	Trade Secret%

### 15.2. International regulations

#### CANADA

#### ammonium sulfate (7783-20-2)

Listed on the Canadian DSL (Domestic Substances List)

# Simplot SSN 31-2-4 CUSTOM BLEND FOR PAUL HAWKINS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### urea (57-13-6) (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

### Monoammonium Phosphate (7722-76-1)

Listed on the Canadian DSL (Domestic Substances List)

### quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

### Iron Sucrate (8047-67-4)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

Component	State or local regulations
ammonium sulfate(7783-20-2)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List
quartz(14808-60-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/11/2022

Full text of H-statements:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H335	May cause respiratory irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*