

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Best 23-3-6 with 4.2% Iron with UFLEXX
 Product code : M811260

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Fertilizer

1.3. Supplier

JR Simplot Company
 P.O. Box 70013
 Boise, ID 83707
 T 1-208-336-2110

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation, Category 2	H315 Causes skin irritation.
Serious eye damage/eye irritation, Category 2B	H320 Causes eye irritation
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335 May cause respiratory irritation.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation.
 H320 - Causes eye irritation
 H335 - May cause respiratory irritation.

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 - If on skin: Wash with plenty of water/...
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 - Call a poison center/doctor/... if you feel unwell
 P321 - Specific treatment (see supplemental first aid instruction on this label)
 P332+P313 - If skin irritation occurs: Get medical attention
 P337+P313 - If eye irritation persists: Get medical attention
 P362 - Take off contaminated clothing.
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 P405 - Store locked up.
 P501 - Dispose of contents/container to ... specify in accordance with local/regional/national regulations

2.3. Other hazards which do not result in classification

No additional information available

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
ammonium sulfate	(CAS-No.) 7783-20-2		Eye Irrit. 2B, H320 STOT SE 3, H335
urea	(CAS-No.) 57-13-6		Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Monoammonium Phosphate	(CAS-No.) 7722-76-1		Eye Irrit. 2B, H320 STOT SE 3, H335
potassium chloride	(CAS-No.) 7447-40-7		Not classified
Iron Oxyulfate			Eye Irrit. 2B, H320
potassium sulfate	(CAS-No.) 7778-80-5		Not classified
Sand			STOT SE 3, H335
Dicyandiamide	(CAS-No.) 461-58-5		Eye Irrit. 2B, H320 STOT SE 3, H335
Wax	(CAS-No.) 64771-72-8		Not classified
N-(n-butyl)-thiophosphonic triamide	(CAS-No.) 94317-64-3		Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Repr. 2, H361 STOT SE 3, H335
1-methyl-2-pyrrolidone	(CAS-No.) 872-50-4		Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Best 23-3-6 with 4.2% Iron with UFLEXX
No additional information available
urea (57-13-6)
No additional information available
ammonium sulfate (7783-20-2)
No additional information available
Monoammonium Phosphate (7722-76-1)
No additional information available
potassium chloride (7447-40-7)
No additional information available
potassium sulfate (7778-80-5)
No additional information available
Iron Oxysulfate
No additional information available
Dicyandiamide (461-58-5)
No additional information available
N-(n-butyl)-thiophosphonic triamide (94317-64-3)
No additional information available
1-methyl-2-pyrrolidone (872-50-4)
No additional information available
Sand
No additional information available

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wax (64771-72-8)

No additional information available

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Multicolored granules.
Colour	: Multi-colored
Odour	: No data available on odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

urea (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)
ammonium sulfate (7783-20-2)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg
Monoammonium Phosphate (7722-76-1)	
LD50 oral rat	5750 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
potassium chloride (7447-40-7)	
LD50 oral rat	2600 mg/kg (Rat)
potassium sulfate (7778-80-5)	
LD50 oral rat	6600 mg/kg (Rat)
Dicyandiamide (461-58-5)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 0.26 mg/l/4h (Rat)
N-(n-butyl)-thiophosphonic triamide (94317-64-3)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
1-methyl-2-pyrrolidone (872-50-4)	
LD50 oral rat	3914 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 4150 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	7000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	8000 mg/kg (Rabbit; Literature study; Equivalent or similar to OECD 402; >5000 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	> 5.1 mg/l/4h (Rat; Experimental value)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

urea (57-13-6)	
STOT-single exposure	May cause respiratory irritation.
ammonium sulfate (7783-20-2)	
STOT-single exposure	May cause respiratory irritation.
Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.
Dicyandiamide (461-58-5)	
STOT-single exposure	May cause respiratory irritation.
N-(n-butyl)-thiophosphonic triamide (94317-64-3)	
STOT-single exposure	May cause respiratory irritation.
1-methyl-2-pyrrolidone (872-50-4)	
STOT-single exposure	May cause respiratory irritation.
Sand	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

urea (57-13-6)	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 1	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
Threshold limit algae 2	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)
ammonium sulfate (7783-20-2)	
LC50 fish 1	126 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	202 mg/l (96 h; Daphnia magna)
LC50 fish 2	250 – 480 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	433 mg/l (50 h; Daphnia magna)
TLM fish 1	1290 ppm (96 h; Gambusia affinis)
Monoammonium Phosphate (7722-76-1)	
LC50 fish 1	155 ppm (96 h; Pimephales promelas)

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

potassium chloride (7447-40-7)	
LC50 fish 1	920 mg/l (96 h; <i>Gambusia affinis</i> ; Static system)
EC50 Daphnia 1	630 mg/l (48 h; <i>Ceriodaphnia dubia</i>)
LC50 fish 2	2010 mg/l (96 h; <i>Lepomis macrochirus</i> ; Static system)
EC50 Daphnia 2	660 mg/l (48 h; <i>Daphnia magna</i>)
Threshold limit algae 1	850 mg/l (72 h; <i>Scenedesmus subspicatus</i>)
Threshold limit algae 2	> 100 mg/l (72 h; <i>Scenedesmus subspicatus</i> ; GLP)
potassium sulfate (7778-80-5)	
LC50 fish 1	1692.4 mg/l (96 h; <i>Alburnus alburnus</i>)
LC50 other aquatic organisms 1	> 1000 mg/l (96 h)
EC50 Daphnia 1	890 mg/l (48 h; <i>Daphnia magna</i> ; Static system)
LC50 fish 2	653 – 796 mg/l (96 h; <i>Lepomis macrochirus</i>)
EC50 Daphnia 2	1180 mg/l (96 h; Crustacea)
TLM fish 1	3550 ppm (96 h; <i>Lepomis</i> sp.)
Threshold limit other aquatic organisms 1	> 1000 mg/l (96 h)
Threshold limit algae 1	2900 mg/l (72 h; <i>Scenedesmus subspicatus</i>)
Dicyandiamide (461-58-5)	
LC50 fish 1	7700 mg/l (96 h; <i>Salmo gairdneri</i> (<i>Oncorhynchus mykiss</i>); Cool water)
EC50 Daphnia 1	3177 mg/l (48 h; <i>Daphnia magna</i>)
LC50 fish 2	7900 mg/l (96 h; Pisces)
1-methyl-2-pyrrolidone (872-50-4)	
LC50 fish 1	3048 mg/l (96 h; <i>Salmo gairdneri</i> (<i>Oncorhynchus mykiss</i>); Cool water)
EC50 Daphnia 1	4897 mg/l (48 h; <i>Daphnia magna</i>)
LC50 fish 2	832 mg/l (96 h; <i>Lepomis macrochirus</i> ; Warm water)
EC50 Daphnia 2	4655 mg/l (<i>Gammarus</i> sp.)
Threshold limit algae 1	> 500 mg/l (<i>Scenedesmus subspicatus</i>)
Threshold limit algae 2	600.5 mg/l (72 h; <i>Desmodesmus subspicatus</i> ; Growth rate)

12.2. Persistence and degradability

Best 23-3-6 with 4.2% Iron with UFLEXX	
Persistence and degradability	Not established.
urea (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
ThOD	0.27 g O ₂ /g substance
ammonium sulfate (7783-20-2)	
Persistence and degradability	Biodegradability in water: no data available. Not established.
Monoammonium Phosphate (7722-76-1)	
Persistence and degradability	Biodegradability in water: no data available. Not established.
potassium chloride (7447-40-7)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
potassium sulfate (7778-80-5)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Iron Oxysulfate	
Persistence and degradability	Not established.
Dicyandiamide (461-58-5)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established.
BOD (% of ThOD)	0.022 % ThOD
N-(n-butyl)-thiophosphonic triamide (94317-64-3)	
Persistence and degradability	Not established.
1-methyl-2-pyrrolidone (872-50-4)	
Persistence and degradability	Readily biodegradable in water. Inherently biodegradable. Biodegradable in the soil. Photodegradation in the air. Not established.
Biochemical oxygen demand (BOD)	1.07 g O ₂ /g substance
Chemical oxygen demand (COD)	1.56 g O ₂ /g substance
ThOD	1.9 g O ₂ /g substance
BOD (% of ThOD)	0.56 % ThOD
Sand	
Persistence and degradability	Not established.
Wax (64771-72-8)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Best 23-3-6 with 4.2% Iron with UFLEXX	
Bioaccumulative potential	Not established.
urea (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
ammonium sulfate (7783-20-2)	
Partition coefficient n-octanol/water (Log Pow)	-5.1
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Monoammonium Phosphate (7722-76-1)	
Bioaccumulative potential	Not bioaccumulative. Not established.
potassium chloride (7447-40-7)	
Partition coefficient n-octanol/water (Log Pow)	-0.46 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
potassium sulfate (7778-80-5)	
Bioaccumulative potential	Not bioaccumulative. Not established.
Iron Oxysulfate	
Bioaccumulative potential	Not established.
Dicyandiamide (461-58-5)	
BCF fish 1	< 3.1 (Cyprinus carpio; Test duration: 6 weeks)
Partition coefficient n-octanol/water (Log Pow)	-1.5 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
N-(n-butyl)-thiophosphonic triamide (94317-64-3)	
Bioaccumulative potential	Not established.
1-methyl-2-pyrrolidone (872-50-4)	
Partition coefficient n-octanol/water (Log Pow)	-0.73 – -0.46 (Experimental value)
Bioaccumulative potential	Not bioaccumulative. Not established.
Sand	
Bioaccumulative potential	Not established.

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wax (64771-72-8)

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

1-methyl-2-pyrrolidone (872-50-4)

Surface tension	0.407 N/m
-----------------	-----------

12.5. Other adverse effects

Other information : Avoid unintentional release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid unintentional release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

Best 23-3-6 with 4.2% Iron with UFLEXX

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Iron Oxysulfate	CAS-No.	%
Sand	CAS-No.	%

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

N-(n-butyl)-thiophosphonic triamide	CAS-No. 94317-64-3	%
1-methyl-2-pyrrolidone	CAS-No. 872-50-4	%

N-(n-butyl)-thiophosphonic triamide (94317-64-3)

EPA Labeling Requirements	PMN - PMN - indicates a commenced PMN substance. S - S - indicates a substance that is identified in a final Significant New Use Rule.
---------------------------	---

1-methyl-2-pyrrolidone (872-50-4)

EPA Labeling Requirements	R - R - indicates a substance that is the subject of a TSCA section 6 risk management rule.
---------------------------	---

15.2. International regulations

CANADA

urea (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

ammonium sulfate (7783-20-2)

Listed on the Canadian DSL (Domestic Substances List)

Best 23-3-6 with 4.2% Iron with UFLEXX

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Monoammonium Phosphate (7722-76-1)
Listed on the Canadian DSL (Domestic Substances List)
potassium chloride (7447-40-7)
Listed on the Canadian DSL (Domestic Substances List)
potassium sulfate (7778-80-5)
Listed on the Canadian DSL (Domestic Substances List)
Dicyandiamide (461-58-5)
Listed on the Canadian DSL (Domestic Substances List)
N-(n-butyl)-thiophosphonic triamide (94317-64-3)
Listed on the Canadian DSL (Domestic Substances List)
1-methyl-2-pyrrolidone (872-50-4)
Listed on the Canadian DSL (Domestic Substances List)
Sand
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)
Wax (64771-72-8)
Listed on the Canadian DSL (Domestic Substances List)


EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

 **WARNING:** This product can expose you to 1-methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ammonium sulfate(7783-20-2)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List
1-methyl-2-pyrrolidone(872-50-4)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-statements:

H227	Combustible liquid
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.